

24521

Reducer flange



Product variant

24521-000-55 - black, M10 x 12 mm

Data

Diameter	40 mm
Function	to slip on stand
Length	100 mm
Material	steel
Special features	secured by locking screw
Suitable for tubing diameter of	35 mm
Threaded connector	M10 x 12 mm
Type	black, M10 x 12 mm
Weight	0.49 kg

Suitable for all K and M speaker stands, tube-diameter 35 mm. With threaded bolt M10 x 12 mm and a large, comfortable handknob. 24521-300-55 with 3/8" threaded bolt x 12 mm.



24521

Reducer flange



Product variant

24521-060-55 - black, M6 x 18 mm

Data

Diameter	40 mm
Function	to slip on stand
Length	100 mm
Material	steel
Special features	secured by locking screw
Suitable for tubing diameter of	35 mm
Threaded connector	M6 x 18 mm
Type	black, M6 x 18 mm
Weight	0.48 kg

Suitable for all K and M speaker stands, tube-diameter 35 mm. With threaded bolt M10 x 12 mm and a large, comfortable handknob. 24521-300-55 with 3/8" threaded bolt x 12 mm.

24521

Reducer flange



Product variant

24521-070-55 - black, M8 x 18 mm

Data

Diameter	40 mm
Function	to slip on stand
Length	100 mm
Material	steel
Special features	secured by locking screw
Suitable for tubing diameter of	35 mm
Threaded connector	M8 x 18 mm
Type	black, M8 x 18 mm
Weight	0.48 kg

Suitable for all K and M speaker stands, tube-diameter 35 mm. With threaded bolt M10 x 12 mm and a large, comfortable handknob. 24521-300-55 with 3/8" threaded bolt x 12 mm.

24521

Reducer flange



Product variant

24521-250-55 - black, bolt diameter 25 mm

Data

Diameter	40 mm
Function	to slip on stand
Length	100 mm
Material	steel
Special features	secured by locking screw
Suitable for tubing diameter of	35 mm
Type	black, bolt diameter 25 mm
Weight	0.707 kg

Suitable for all K and M speaker stands, tube-diameter 35 mm. With threaded bolt M10 x 12 mm and a large, comfortable handknob. 24521-300-55 with 3/8" threaded bolt x 12 mm.

24521

Reducer flange



Product variant

24521-300-55 - black, 3/8" x 12 mm

Data

Diameter	40 mm
Function	to slip on stand
Length	100 mm
Material	steel
Special features	secured by locking screw
Suitable for tubing diameter of	35 mm
Threaded connector	3/8" x 12 mm
Type	black, 3/8" x 12 mm
Weight	0.48 kg

Suitable for all K and M speaker stands, tube-diameter 35 mm. With threaded bolt M10 x 12 mm and a large, comfortable handknob. 24521-300-55 with 3/8" threaded bolt x 12 mm.

